

-continued

---

Phe	Phe	Leu	Tyr	Ser	Lys	Leu	Thr	Val	Asp	Lys	Ser	Arg	Trp	Gln	Gln
		180						185					190		
Gly	Asn	Val	Phe	Ser	Cys	Ser	Val	Met	His	Gly	Ala	Leu	His	Asn	His
		195					200					205			
Tyr	Thr	Gln	Lys	Ser	Leu	Ser	Leu	Ser	Pro	Gly	Lys				
	210					215					220				

---

1. An antigen-binding molecule, optionally isolated, comprising an Fc region, the Fc region comprising a polypeptide having: (i) C at the position corresponding to position 242, and C at the position corresponding to position 334, and (ii) one or more of: A at the position corresponding to position 236, D at the position corresponding to position 239, E at the position corresponding to position 332, L at the position corresponding to position 330, K at the position corresponding to position 345, and G at the position corresponding to position 430.

2. The antigen binding molecule according to claim 1, wherein the Fc region comprises a polypeptide having: (i) C at the position corresponding to position 242, and C at the position corresponding to position 334, and (ii) A at the position corresponding to position 236, D at the position corresponding to position 239, E at the position corresponding to position 332, and L at the position corresponding to position 330;

or A at the position corresponding to position 236, D at the position corresponding to position 239, and E at the position corresponding to position 332; or A at the position corresponding to position 236, and D at the position corresponding to position 239; or K at the position corresponding to position 345, and G at the position corresponding to position 430.

3. The antigen binding molecule according to claim 1 or claim 2, wherein the Fc region comprises a polypeptide having: (i) C at the position corresponding to position 242, and C at the position corresponding to position 334, and (ii) A at the position corresponding to position 236, D at the position corresponding to position 239, E at the position corresponding to position 332, and L at the position corresponding to position 330.

4. The antigen binding molecule according to claim 1 or claim 2, wherein the Fc region comprises a polypeptide having: (i) C at the position corresponding to position 242, and C at the position corresponding to position 334, and (ii) A at the position corresponding to position 236, D at the position corresponding to position 239, and E at the position corresponding to position 332.

5. The antigen binding molecule according to claim 1 or claim 2, wherein the Fc region comprises a polypeptide having: (i) C at the position corresponding to position 242, and C at the position corresponding to position 334, and (ii) A at the position corresponding to position 236, and D at the position corresponding to position 239.

6. The antigen binding molecule according to claim 1 or claim 2, wherein the Fc region comprises a polypeptide having: (i) C at the position corresponding to position 242, and C at the position corresponding to position 334, and (ii) K at the position corresponding to position 345, and G at the position corresponding to position 430.

7. The antigen binding molecule according to any one of claims 1 to 6, wherein the Fc region comprises a polypeptide comprising an amino acid sequence having at least 60% sequence identity to SEQ ID NO:39, 38, 37, 41, 22, 21, 20 or 24.

8. A polypeptide, optionally isolated, comprising: an amino acid sequence having at least 60% sequence identity to SEQ ID NO:31 or 6, wherein the polypeptide comprises the following amino acid residues at the specified positions numbered relative to SEQ ID NO:31 or 6: (i) C at position 15, and C at position 107, and (ii) one or more of: A at position 9, D at position 12, L at position 103, E at position 105, K at position 118, and G at position 203.

9. The polypeptide according to claim 8, wherein the polypeptide comprises the following amino acid residues at the specified positions numbered relative to SEQ ID NO:31 or 6: (i) C at position 15, and C at position 107, and (ii) A at position 9, D at position 12, L at position 103, and E at position 105; or A at position 9, D at position 12, and E at position 105; or A at position 9, and D at position 12; or K at position 118, and G at position 203.

10. The polypeptide according to claim 8 or claim 9, wherein the polypeptide comprises the following amino acid residues at the specified positions numbered relative to SEQ ID NO:31 or 6: (i) C at position 15, and C at position 107, and (ii) A at position 9, D at position 12, L at position 103, and E at position 105.

11. The polypeptide according to claim 8 or claim 9, wherein the polypeptide comprises the following amino acid residues at the specified positions numbered relative to SEQ ID NO:31 or 6: (i) C at position 15, and C at position 107, and (ii) A at position 9, D at position 12, and E at position 105.

12. The polypeptide according to claim 8 or claim 9, wherein the polypeptide comprises the following amino acid residues at the specified positions numbered relative to SEQ ID NO:31 or 6: (i) C at position 15, and C at position 107, and (ii) A at position 9, and D at position 12.

13. The polypeptide according to claim 8 or claim 9, wherein the polypeptide comprises the following amino acid residues at the specified positions numbered relative to SEQ ID NO:31 or 6: (i) C at position 15, and C at position 107, and (ii) K at position 118, and G at position 203.

14. A polypeptide, optionally isolated, comprising the amino acid sequence of SEQ ID NO:39, 38, 37, 41, 22, 21, 20 or 24.

15. An Fc region, optionally isolated, comprising a polypeptide according to any one of claims 8 to 14.

16. An antigen-binding molecule, optionally isolated, comprising a polypeptide according to any one of claims 7 to 13, or an Fc region according to claim 14.

17. A nucleic acid, or a plurality of nucleic acids, optionally isolated, encoding an antigen-binding molecule accord-